



if it flows,  
we go with it

1.800.665.4499  
barrplastics.com

# Marine Buoys

## Transport Canada Approved Mooring Buoys

Buoys can be used to mark waterways, can be rented to boaters at your marinas, or can be used to support the line to which you anchor your own watercraft. Our cost-effective orange-striped standard mooring buoys match BC regulations for private moorage and will remain durable and attractive for years to come.

The hard polyethylene shell on our mooring buoys has UV inhibitors to keep it looking new, while the polystyrene foam fills the shell to provide maximum buoyancy. A PVC tube is molded through the center of the buoy to allow for different hardware options and an injection-molded collar captures the tube on each end and protects the buoy from wear





if it flows,  
we go with it

1.800.665.4499  
barrplastics.com

## Eyelet Hardware Style

Attach directly to mooring line *below* the buoy



| Part #      | Description                | Diameter (in) | Buoyancy (lbs) | Thru Tube ID (in) | Weight (lbs) |
|-------------|----------------------------|---------------|----------------|-------------------|--------------|
| FFMB1212TCA | Eyelet Style Hardware Buoy | 12            | 30             | 1.75              | 4            |
| FFMB1818TCA | Eyelet Style Hardware Buoy | 18            | 102            | 1.75              | 8            |
| FFMB2424TCA | Eyelet Style Hardware Buoy | 24            | 248            | 1.75              | 16           |




## Thru-Chain & Shackle Style

Attach directly to shackle at the *top* of the buoy.

| Part #     | Description           | Diameter (in) | Buoyancy (lbs) | Thru Tube ID (in) | Weight (lbs) |
|------------|-----------------------|---------------|----------------|-------------------|--------------|
| FFMB1212TC | Thru Chain Style Buoy | 18            | 51             | 2.75              | 8            |
| FFMB2424TC | Thru Chain Style Buoy | 24            | 124            | 2.75              | 16           |
| FFMB3232TC | Thru Chain Style Buoy | 32            | 278            | 2.75              | 41           |
| FFMB3838TC | Thru Chain Style Buoy | 38            | 556            | 2.75              | 65           |
| FFMB4242TC | Thru Chain Style Buoy | 42            | 710            | 2.75              | 86           |

## Thru-Chain Style W/ Extended Pipe

Attach directly to shackle at the *top* of the pipe.




| Part #     | Description               | Diameter (in) | Buoyancy (lbs) | Thru Tube ID (in) | Weight (lbs) |
|------------|---------------------------|---------------|----------------|-------------------|--------------|
| FFMB1818EP | Thru Chain Ext. Pipe Buoy | 18            | 51             | 2.75              | 8            |
| FFMB2424EP | Thru Chain Ext. Pipe Buoy | 24            | 124            | 2.75              | 16           |
| FFMB3232EP | Thru Chain Ext. Pipe Buoy | 32            | 278            | 3.5               | 41           |
| FFMB3838EP | Thru Chain Ext. Pipe Buoy | 38            | 556            | 3.5               | 65           |
| FFMB4242EP | Thru Chain Ext. Pipe Buoy | 42            | 710            | 3.5               | 86           |



if it flows,  
we go with it

1.800.665.4499  
barrplastics.com

## Galvanized Chain & Hardware



### Eyelet Style

| Part #  | Description                    | Buoy Size Needed (in) | Working Load Limit (lbs) | Weight (lbs) |
|---------|--------------------------------|-----------------------|--------------------------|--------------|
| FFMB12F | 12" Galvanized Eyelet Assembly | 12                    | N/A                      | 2            |
| FFMB18F | 18" Galvanized Eyelet Assembly | 18                    | N/A                      | 3            |
| FFMB24F | 24" Galvanized Eyelet Assembly | 24                    | N/A                      | 4            |

### Thru Chain & Shackle Style

| Part #       | Description                                       | Buoy Size Needed (in) | Working Load Limit (lbs) | Weight (lbs) |
|--------------|---|-----------------------|--------------------------|--------------|
| SHACKLE580   | 5/8" Shackle Galv. for 1/2" Mooring Chain         | 18-24                 | 6500                     | 1            |
| SHACKLE750   | 3/4" Shackle Galv. for 3/4" Mooring Chain         | 18-42                 | 9500                     | 2            |
| SHACKLE780   | 7/8" Shackle Galv. for 3/4" Mooring Chain         | 32-42                 | N/A                      | 4            |
| BUOYCHAIN500 | 1/2" Hot-Dip Galv. Long Link Mooring Chain        | 18-24                 | 4500                     | 2 lbs./ft    |
| BUOYCHAIN750 | 3/4" Hot-Dip Galv. Long Link Mooring Chain        | 24-42                 | 10000                    | 3.5lbs./ft   |
| BCB500       | 3" HD UV Plastic Aligning Washer - for 1/2" Chain | 18-24                 | N/A                      | 0.2          |
| BCB750       | 4" HD UV Plastic Aligning Washer - for 3/4" Chain | 24-42                 | N/A                      | 0.3          |

